

# POLISH COLLECTIONS OF ALLIUM

Mariusz Chojnowski, Anna Wawrzyniak, Maria Burian National Institute for Horticultural Research, Skierniewice











# INHORT ALLIUM - FIELD & SEED COLLECTIONS

ALLIUM CROP	NUMBER OF ACCESSIONS
WINTER GARLIC	359
SPRING GARLIC	277
SHALLOT	281
PERENNIAL	104
ONION	430
LEEK	63



### **ALLIUM ACCESSION NUMBER BY ORIGIN COUNTRY**

ORIGIN COUNTRY	<b>ACCESSIONS NUMBER</b>	ORIGIN COUNTRY	<b>ACCESSIONS NUMBER</b>
POL	858	AUS	13
UKR	275	CZE	12
LTU	127	DEU	12
RUS	117	TUR	12
UZB	82	EST	9
JPN	80	YUG	8
KAZ	36	ROM	7
SVK	32	ARG	3
KGZ	26	CHN	2
LTV	26	AFG	1
GRC	24	AUT	1
MDA	24	DNK	1
TJK	21	IDN	1
NLD	17	ISR	1
SYR	16	ITA	1
ALB	15	KOR	1
USA	15	NOR	1
TKM	14	SUN	1



### **ALLIUM ACCESSION NUMBER BY SAMPLE STATUS**

SAMPLE STATUS	NUMBER OF ACCESSIONS
WILD	12
NATURAL	368
SEMI-NATURAL/WILD	17
TRADITIONAL CULTIVAR/LANDRACE	1299
BREEDING/RESEARCH	28
BREEDER'S LINE	68
HYBRID	9
INBRED LINE	9
ADVANCED OR IMPROVED	123



# Cryo-Genebank – Cryopreservation is a safe and effective method of long-term preservation of garlic

The National Institute for Horticultural Research, Skierniewice, Poland


(227 garlic accessions in liquid nitrogen from Gene Bank collections):

- 142 acc. RIH, Skierniewice, Poland
- 34 acc. IPK, Gatersleben, Germany
- 51 acc. CRI, Prague, Czech Republic
- Safety duplicates of Polish garlic accessions:
  - 31 acc. IPK, Gatersleben, Germany
  - 27 acc. CRI, Prague, Czech Republic





# Schematic procedure of vitrification method for shoot tips



Shoot tips are placed on Petri dish filled with solid culture medium for seven days in the dark. After seven days, the shoot tips are transferred to 16 h light/8 h dark photoperiod







at a temperature of +25°C/day




with 16h photoperiod



Shoot formation is recorded as the percentage of the total number of shoot tips forming normal shoots about 6 weeks after plating.



#### **GRIN-GLOBAL WEBSITE**











#### **GRIN-GLOBAL CURATOR TOOL**





#### **GRIN-GLOBAL WEBSITE**





## STORAGE FACILITY FOR ALLIUM BULBS



